carhartt

10:48
4 Adams St
ADAMS ST
ROBBINS RD
Skippy's WAY
73°
AQI 90
4 Adams St
Address · Le Roy, New York
FRONT ELEVATION
ESCAPE/RESCUE OPENINGS
NOTED OPENING SIZES TO HAVE
MIN. NET CLEAR OPENING OF
5 sq.ft. FOR GRADE FLOOR AND
5.7 sq.ft. FOR SECOND FLOOR

AREA OF THE ROOM. ATTENTION MUST ALSO BE MADE THAT WINDOWS COMPLY WITH EGRESS, ENERGY CONSERVATION AND SAFETY GLASS REQUIREMENTS REFERED TO IN THIS DRAWING SET.

CONTRACTOR/OWNER TO CONTACT ARCHITECT (585 247-6480) IF ANY CLARIFICATION IS NEEDED

VENTILATION: PROVIDE VENTILATION SYSTEM THAT ALLOWS A CONTINUOUS FLOW OF OUTSIDE AIR THROUGH THE ATTIC (BALANCE BETWEEN SOFFIT VENTS AND RIDGE VENTS)

ACCESS: PROVIDE ATTIC ACCESS (MIN. 22"X30") FROM A READILY ACCESSIBLE LOCATION. A 30" UNOBSTRUCTED HEADROOM IN THE ATTIC SPACE SHALL BE PROVIDED AT SOME POINT ABOVE THE ACCESS OPENING. FINAL LOCATION OF THIS ACCESS IS TO BE DETERMINEDE BY HOMEOWNER.